SAFETY DATA SHEET



Techspray Renew Duster

Section 1. Identified	cation
GHS product identifier	: Techspray Renew Duster
Product code	: 1580-10S
Chemical name	: HFO-1234ZE
Other means of identification	: 1-Propene, 1,3,3,3-tetrafluoro-, (1E)-; (1E)-1,3,3,3-tetrafluoroprop-1-ene; E-HFC- 1234ze; HFO-1234ze(E); trans-1,3,3,3-tetrafluoropropene; trans-1,3,3,3-tetrafluoroprop- 1-ene; HFC-1234ze; (E)-1,3,3,3-tetrafluoroprop-1-ene; trans- 1,3,3,3-Tetrafluoropropylene; E-1,3,3,3-Tetrafluoropropene; trans-1,1,1,3-Tetrafluoro- 2-propene; (1E)-1,3,3,3-Tetrafluoro-1-propene Industrial/Professional use
Product type	: Aerosol.
Relevant identified uses of t	he substance or mixture and uses advised against
Not applicable.	
Supplier's details	: Techspray 8125 Cobb Center Drive Kennesaw, GA 30152 Tel: 678-819-1408 Toll free: 1-800-858-4043 Fax: 1 806-372-8750
Emergency telephone number (with hours of operation)	: Chemtrec - 1-800-424-9300 CANUTEC (Canadian Transportation): (613) 996-6666 Emergency phone: (800) 858-4043 24/7
Section 2. Hazard	s identification
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: GASES UNDER PRESSURE - Compressed gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	

Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: HFO-1234ZE
Other means of identification	 1. Propene, 1,3,3,3-tetrafluoro-, (1E)-; (1E)-1,3,3,3-tetrafluoroprop-1-ene; E-HFC-1234ze; HFO-1234ze(E); trans-1,3,3,3-tetrafluoropropene; trans-1,3,3,3-tetrafluoroprop-1-ene; HFC-1234ze; (E)-1,3,3,3-tetrafluoroprop-1-ene; trans-1,3,3,3-Tetrafluoropropylene; E-1,3,3,3-Tetrafluoropropene; trans-1,1,1,3-Tetrafluoro-2-propene; (1E)-1,3,3,3-Tetrafluoro-1-propene Industrial/Professional use

CAS number/other identifiers

CAS number	: 29118-24-9		
Ingredient name		%	CAS number
HFO-1234ZE		100	29118-24-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	eary first aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symp	toms/effects, acute and delayed

inout important of inptomo/ono	olo, dodto drid doldyou
Potential acute health effects	
Eye contact :	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation :	At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen.
Skin contact :	Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion :	Do not ingest. If swallowed then seek immediate medical assistance.
Over-exposure signs/sympton	<u>ns</u>

Section 4. First aid measures

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: frostbite irritation
Ingestion	: Adverse symptoms may include the following: Irritating to mouth, throat and stomach. Ingestion Seek medical attention.
Indication of immediate r	nedical attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

Protection of first-aiders

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds carbonyl halides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
--------------------------------	---

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 6. Accidental release measures

n in
-
3
up and
ash s d

Section 7. Handling and storage

Precautions for safe handling

Protective measures	at on appropriate personal protective equipment (see Section 8). Pressuri ntainer: protect from sunlight and do not expose to temperatures exceeding t pierce or burn, even after use. Do not ingest. Avoid contact with eyes, so othing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with ntilation. Wear appropriate respirator when ventilation is inadequate. Em ntainers retain product residue and can be hazardous.	ng 50°C. Do skin and n adequate
Advice on general occupational hygiene	ating, drinking and smoking should be prohibited in areas where this mate indled, stored and processed. Workers should wash hands and face befo inking and smoking. Remove contaminated clothing and protective equip itering eating areas. See also Section 8 for additional information on hygi- easures.	ore eating, ment before
Conditions for safe storage, including any incompatibilities	ore in accordance with local regulations. Store away from direct sunlight ad well-ventilated area, away from incompatible materials (see Section 10) ad drink. Protect from sunlight. Use appropriate containment to avoid env ntamination. See Section 10 for incompatible materials before handling c	and food rironmental

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
HFO-1234ZE	ACGIH TLV (United States, 3/2020).
	TWA: 2.5 mg/m³, (as F) 8 hours.
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 2.5 mg/m³, (as F) 8 hours.
	OSHA PEL (United States, 5/2018).
	TWA: 2.5 mg/m³, (as F) 8 hours.
	OSHA PEL ZZ (United States, 2/2013).
	TWA: 2.5 mg/m ³ 8 hours. Form: Dust

Section 8. Exposure controls/personal protection

•	• •
Appropriate engineering controls	 Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Gas. [Liquefied compressed gas.]
Color	: Clear. Colorless.
Odor	: Ethereal. Faint odor. [Slight]
Odor threshold	: Not available.
рН	: Not applicable.
Melting point/freezing point	: Not applicable.
Boiling point, initial boiling point, and boiling range	: -19°C (-2.2°F)
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability	: Non-flammable.

Date of issue/Date of revision

Section 9. Physical and chemical properties and safety characteristics

Lower and upper explosion limit/flammability limit	: Lower: 7% Upper: 9.5%
Vapor pressure	: Not available.
Relative vapor density	: Not available.
Relative density	: Not applicable.
Density	: 1.12 g/cm³ [21.1°C (70°F)]
Solubility	: Not available.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: 368°C (694.4°F)
Decomposition temperature	: Not available.
Heat of combustion	: 10.7
Viscosity	: Not applicable.
Flow time (ISO 2431)	: Not available.
Particle characteristics	
Median particle size	: Not applicable.
<u>Aerosol product</u>	
Type of aerosol	: Spray
Ignition distance	: 0 cm
Enclosed space ignition - Time equivalent	: 347 s/m ³
Enclosed space ignition - Deflagration density	: 443 g/m ³

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Section 11. Toxicological information

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

otontial addite ficultific ficolo		
Eye contact	:	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	:	At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen.
Skin contact	;	Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	÷	Do not ingest. If swallowed then seek immediate medical assistance.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: frostbite irritation
Ingestion	: Adverse symptoms may include the following: Irritating to mouth, throat and stomach. Ingestion Seek medical attention.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	

Section 11. Toxicological information

: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information	
Toxicity	
Not available.	

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any
	regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to
	the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered
	when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not
	puncture or incinerate container.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	UN3163	UN1950	UN1950	UN3163	UN3163
UN proper shipping name	Liquefied gas, n.o. s.	AEROSOLS	AEROSOLS	Liquefied Gas, n.o. s.	Liquefied Gas, n.o. s.
Transport hazard class(es)	2.2	2.2	2.2	2.2	2.2
Date of issue/Date of I	vevision : 4/8/2022	Date of previo	us issue : 4/8/20	Vers	ion : 6

Section 14. Transport information

Packing group	-		-	-	-	-	
Environmental hazards	No.		No.	No.	No.	No.	
Additional inform	nation						
DOT Classificat	tion	: <u>Sp</u>	ecial provision	<u>s</u> DOT-SP 11516			
TDG Classification				as per the following s s: 2.13-2.17 (Class 2		portation of Dangerous	
Special precautions for user :		up	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.				
Transport in bulk according : to IMO instruments		: No	t available.				

Section 15. Regulatory information

U.S. Federal regulations	: Т	SCA 8(a) CDR Exer	npt/Partial exemption: Not determined
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: N	ot listed	
Clean Air Act Section 602 Class I Substances	: N	ot listed	
Clean Air Act Section 602 Class II Substances	: N	ot listed	
DEA List I Chemicals (Precursor Chemicals)	: N	ot listed	
DEA List II Chemicals (Essential Chemicals)	: N	ot listed	
SARA 302/304			
Composition/information	on ing	<u>redients</u>	
No products were found.			
SARA 304 RQ	: N	ot applicable.	
SARA 311/312			
Classification : GASES UNDER PRESSURE - Compressed gas			
Composition/information	<u>on ing</u>	<u>redients</u>	
Name		%	Classification

Name		%	Classification
HFO-1	1234ZE		FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Compressed gas

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: FLUORIDES
Pennsylvania	: None of the components are listed.
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Section 15. Regulatory information

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals


Not listed.

Inventory list

: All components are listed or exempted.
: All components are listed or exempted.
: Not determined.
 At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
 Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
: Not determined.
: Not determined.
: All components are listed or exempted.
: All components are listed or exempted.
: All components are listed or exempted.
: Not determined.
: All components are active or exempted.
: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Date of issue/Date of revision	: 4/8/2022	Date of previous issue	: 4/8/2022	Version : 6
--------------------------------	------------	------------------------	------------	-------------

10/11

Section 16. Other information

	Classification	Justification
GASES UNDER PRESSURE - Compressed gas		On basis of test data
History		
Date of printing	: 4/8/2022	
Date of issue/Date of revision	: 4/8/2022	
Date of previous issue	: 4/8/2022	
Version	: 6	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classifica IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition MARPOL = International Convention for the Prev as modified by the Protocol of 1978. ("Marpol" = 1 N/A = Not available SGG = Segregation Group UN = United Nations	s a coefficient rention of Pollution From Ships, 1973
References	: Not available.	

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.